





# Dell PowerEdge T620

An enterprise-class, 2-socket tower server, the Dell<sup>TM</sup> PowerEdge<sup>TM</sup> T620 emphasizes high performance and high availability with built-in room for growth.

The PowerEdge T620 is a feature-rich, 2-socket tower server that is powered by the Intel® Xeon® processor E5-2600 or E5-2600v2 product family, has up to 24 DIMMs, and the storage capacity of up to 32 drive bays. With up to 24 processor cores and high memory density, the T620 shines in its ability to handle demanding virtualization environments and is an excellent choice for key workloads such as databases, web serving, customer relationship management (CRM), medical imaging and security management.

## Designed for demanding small and medium business environments

The T620's extensive memory (768GB), large local storage capacity, and I/O flexibility make it an attractive platform for server consolidation projects. T620 features enable you to save space, utilize your IT administrator's time more efficiently and minimize potential software licensing fees.

A flexible server with excellent energy efficiency and acoustical performance, the PowerEdge T620 is a good fit for quiet office settings, remote branches and open office environments. The T620 can be rack-mounted for growing environments. And with consistent worldwide support, businesses and organizations with remote offices have no need for worry.

### Safeguard your data and business

The T620, with its large storage capacity, offers both software-based RAID and hardware RAID controllers to protect critical business information with several RAID options. Features to ensure your business is always up and running include reliability, availability and serviceability (RAS) options like hotpluggable fans, disks and power supplies, along with redundant, failsafe hypervisors that minimize the need to take a server out of use to replace parts.

#### The PowerEdge portfolio

The PowerEdge family is engineered with the right combination of features and performance scalability to handle tough workloads for businesses and organizations of all sizes.

The Dell OpenManage™ systems management portfolio includes Integrated Dell Remote Access Controller 7 (iDRAC7) with Lifecycle Controller. This embedded feature helps IT administrators manage Dell servers in physical, virtual, local and remote environments, operating in-band or out-of-band, with or without a systems management software agent installed.

OpenManage iDRAC with Lifecycle Controller integrates and connects to leading third-party systems management solutions (such as those from Microsoft, VMware and BMC Software), so users can maintain a single point of control and capitalize on an existing systems management investment. OpenManage simplifies the lifecycle of deploying, updating, monitoring and maintaining Dell PowerEdge servers.

## PowerEdge T620

- Up to 24 DIMMs
- PCIe 3.0-enabled expansion slots
- Up to 32 x 2.5" or 12 x 3.5" hard drives
- Optional hot-plug, front-access PCIe SSDs
- Optional internal GPU

Feature	PowerEdge T620 technical specification
Form factor	Tower (5U rackable)
Processors	Intel® Xeon® processor E5-2600 or E5-2600v2 product family
Processor sockets	2
Internal interconnect	2 x Intel QuickPath Interconnect (QPI) links; 6.4GT/s, 7.2GT/s, 8.0GT/s
Cache	2.5MB per core; core options: 4, 6, 8, 10, 12
Chipset	Intel C602
Memory <sup>1</sup>	Up to 768GB (24 DIMM slots): 2GB/4GB/8GB/16GB/32GB DDR3 up to 1866MT/s
I/O slots	<ul> <li>7 PCIe slots:</li> <li>Four x16 slots with x16 bandwidth, full-length, full-height</li> <li>Two x8 slots with x8 bandwidth, full-length, full-height</li> <li>One x8 slot with x4 bandwidth, full-length, full-height</li> </ul>
RAID controllers	Internal controllers: External HBAs (RAID): PERC S110 (SW RAID) PERC H810 PERC H310 External HBAs (non-RAID): PERC H710 6Gbps SAS HBA PERC H710P
Drive bays	Choose from eight 3.5" hot-plug drive bays plus four PCIe SSD drives (optional), twelve 3.5" hot-plug drive bays, sixteen 2.5" hot-plug drive bays plus four PCIe SSD drives (optional), or thirty-two 2.5" hot-plug drive bays
Maximum internal storage <sup>1</sup>	Up to 48TB
Hard drives	Hot-plug hard drive options: 2.5° PCIe SSD, SAS SSD, SATA SSD, SAS (15K, 10K), nearline SAS (7.2K), SATA (7.2K), SAS 512e (15K) 3.5° nearline SAS (7.2K), SATA (7.2K), SAS (15K) Self-encrypting drives available
Embedded NIC	Intel Dual Port 1GbE LOM
Power supplies	Auto-ranging Titanium efficiency 750W AC power supply Auto-ranging Platinum efficiency 495W, 750W, or 1100W AC power supply 1100W DC power supply
Availability	High-efficiency, hot-plug, redundant power supplies; hot-plug drive bays; TPM; dual internal SD support; hot-plug redundant fan; optional bezel; information tag; ECC memory; interactive LCD screen; extended thermal support; ENERGY STAR® compliant; switch independent partitioning
Remote management	iDRAC7 with Lifecycle Controller iDRAC7 Express (default), iDRAC7 Enterprise (upgrade) 8GB vFlash media (upgrade), 16GB vFlash media (upgrade)
Systems management	IPMI 2.0 compliant Dell OpenManage™ Essentials Dell OpenManage Power Center Dell OpenManage Connections: • Dell OpenManage Integration Suite for Microsoft® System Center • Dell plug-in for VMware® vCenter™ • HP Operations Manager, IBM Tivoli® Netcool®, and CA Network and Systems Management
Rack support	ReadyRails™ II sliding rails for tool-less mounting in 4-post racks with square or unthreaded round holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm. Rack mount mode available (must be ordered at time of initial purchase).
Operating systems	Microsoft Windows Server® 2012 Microsoft Windows Server 2008 R2 SP1, x64 (includes Hyper-V®) Novell® SUSE® Linux Enterprise Server Red Hat® Enterprise Linux®  Optional embedded hypervisors: Citrix® XenServer® VMware vSphere® ESXi™ Red Hat Enterprise Virtualization® For more information on the specific versions and additions, visit Dell.com/OSsupport.

<sup>&</sup>lt;sup>1</sup> GB equals 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.

### Global services and support

Dell Services can help reduce IT complexity, lower costs, and eliminate inefficiencies by making IT and business solutions work harder for you. The Dell Services team takes a holistic view of your needs and designs solutions for your environment and business objectives while leveraging proven delivery methods, local talent, and indepth domain knowledge for the lowest total cost of ownership.

### OEM-ready version available

From bezel to BIOS to packaging, your servers can look and feel as if they were designed and built by you. For more information, visit Dell.com/OEM.

### Learn More at Dell.com/PowerEdge



© 2013 Dell Inc. All rights reserved. Dell, the DELL logo, the DELL badge, PowerEdge, ReadyRails, and OpenManage are trademarks of Dell Inc. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. This document is for informational purposes only. Dell reserves the right to make changes without further notice to any products herein. The content provided is as is and without express or implied warranties of any kind.